Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Currently Amended) A layered structure comprising:
- a first intermediate layer, said first intermediate layer consisting of at least one of a titanium based coating of at least one of Ti, [[Cr,]] TiC, TiN, and TiCN, CrN or Cr₃C₂;
- a second intermediate layer deposited on top of said first intermediate layer, said second intermediate layer comprising a diamond-like nanocomposite composition; and
- a diamond-like carbon layer deposited on top of said second intermediate layer.
- 2. (**Currently Amended**) A layered structure according to claim 1, wherein said first intermediate layer consists of titanium **and/or chromium**.
- 3. (**Previously Presented**) A layered structure according to claim 1, wherein said structure further comprises at least a layer comprising a diamond-like nanocomposite composition on top of said diamond-like carbon layer.
- 4. (Previously Presented) A layered structure according to claim 1, wherein said first intermediate layer has a thickness between 0.001 and 1 μ m.
- 5. (Previously Presented) A layered structure according to claim 1, wherein said second intermediate layer has a thickness of 0.01 to $5 \mu m$.
- 6. (Previously Presented) A layered structure according to claim 1, wherein said diamond-like carbon layer has a thickness between 0.1 and 10 μ m.

- 7. (Previously Presented) A layered structure according to claim 1, wherein said nanocomposite composition comprises in proportion to the sum of C, Si, and O in at % 40 to 90 % C, 5 to 40 % Si, and 5 to 25 % O.
- 8. (**Previously Presented**) A layered structure according to claim 1, wherein said second intermediate layer comprises a metal doped diamond-like nanocomposite composition.
- 9. (**Previously Presented**) A layered structure according to claim 1, wherein said diamond-like carbon layer is doped with a metal.
- 10. **(Previously Presented)** An article of manufacture, comprising: a substrate covered at least partially with a layered structure according to claim 1.
- 11. (Cancelled).
- 12. **(Previously Presented)** A method to cover a substrate with a layered structure, said method comprising the steps of:
 - providing a substrate;
- applying a first intermediate layer, said first intermediate layer comprising at least one element of group IVB, group VB or group VIB;
- applying a second intermediate layer, said second intermediate layer comprising a diamond-like nanocomposite composition; and
- applying a diamond-like carbon layer to obtain a layered structure according to claim 1.
- 13. (Currently Amended) A layered structure comprising:
- a first intermediate layer, said first intermediate layer consisting essentially of at least one of a titanium based coating of at least one of Ti, [[Cr,]] TiC, TiN, and TiCN, CrN or Cr₃C₂);

- a second intermediate layer deposited on top of said first intermediate layer, said second intermediate layer comprising a diamond-like nanocomposite composition; and
- a diamond-like carbon layer deposited on top of said second intermediate layer.

14. - 15. (Cancelled).